



DOCKET: 1230

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: James F. McGuckin, Jr., et al

Serial No.: 09/973,450

Examiner: Unknown

Filed: October 9, 2001

Art Unit: Unknown

For: **METHODS OF IMPLANTING COVERED STENTS WITH SIDE BRANCH**

Assistant Commissioner of Patents  
Washington, D.C. 20231

RESPONSE TO NOTICE TO FILE CORRECTED  
APPLICATION PAPERS - FILING DATE GRANTED

Sir:

In response to the Notice To File Corrected Application Papers – Filing Date  
Granted, dated November 13, 2001, Applicant(s) encloses herewith 21 sheets of substitute  
drawings in compliance with 37 C.F.R. 1.84 along with a copy of the Notice. Please charge  
any fee deficiencies, to cover the surcharge under 37 C.F.R. 1.16(e) to Deposit Account No.  
501567.

In the event any event any extensions of time are required, please treat this paper  
as a petition to extend the time as required and charge Deposit Account No. 501567. TWO  
(2) COPIES OF THIS SHEET ARE ENCLOSED.

Respectfully submitted,

Dated: 12/14/01

By: 

Neil D. Gershon  
Reg. No. 32,225  
Attorney for Applicant

Rex Medical  
2023 Summer St.  
Suite 2  
Stamford, CT. 06905

2011-01-11 09:44:00

## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/973,450	10/09/2001	James F. McGuckin JR.	1230

CONFIRMATION NO. 5989

## FORMALITIES LETTER



\*OC000000007054646\*

Neil D. Gershon  
Chief Patent Counsel  
Rex Medical  
2023 Summer St., Suite 2  
Stamford, CT 06905

Date Mailed: 11/13/2001

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. ( 5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center  
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

2025 OCT 10 09:26:50